



# Gemini LMA101 2\*5G/4G 600-6000MHz MIMO Magnetic Mount Antenna

LMA101.A.BI.001

5G/4G MIMO Antenna

Covers Cellular Bands 600-6000MHz

High Efficiency Antenna

IP67 Rating

3 Way Mounting Options; Magnetic Mount, Wall Mount, Desktop Mount

Dimensions: 164\*164\*36.5mm

2\*Low Loss 1m CFD-200 Cables, SMA(M)

Cable and Connector Customizable

Enclosure Dimensions: 164\*164\*36.5mm

RoHS & Reach Compliant

[Buy Now](#)

[Get Quote](#)

[Request Sample](#)

 [Datasheet](#) 

 [3D Model](#) 

Description

Technical Specification

## Technical Specification

Name	Value
Antenna Type	Combination
Impedance	50
Minimum Operating Temperature	-40°C
Maximum Operating Temperature	80°C
Mounting Style	Wall/DeskTop
Termination Style	Connector
Antenna Connector Type	SMA
Cable Type	TGC-200
Connector Body Style	None
Polarity	Linear
Frequency Range	617MHz To 5925MHz
Connector Polarity	None
Cable Length (mm)	1000
Packaging	Box, Carton
VSWR	3.5
IP Rating	IP65

<b>Name</b>	<b>Value</b>
<b>RoHS</b>	<b>Yes</b>
<b>Gain</b>	1
<b>Length (mm)</b>	164
<b>Width (mm)</b>	164
<b>Height (mm)</b>	36.5
<b>Weight (g)</b>	400

## Related Products



SMA Straight Panel Mount, Jack, Nickel, 50Ω, 2 Mounting Holes, Solder Termination Coaxial



SMA Straight PCB Mount, Jack, Gold, 50Ω, Surface Mount 1MM Leg Length

→ [View All](#)